



KONICA MINOLTA

TECHNOLOGY

## AccurioPress 6136/6136P/6120

MONOCHROME DIGITAL PRODUCTION PRESS



THE ACCURIOPRESS 6136/6136P/6120

# SETS THE STANDARD IN HIGH-END MONOCHROME PRINTING.



**With superior image quality and reliability, the AccurioPress 6136 series helps your business reach new levels of efficiency and profitability.**

The AccurioPress 6136/6136P/6120 is redefining the way you think about monochrome printing. It simply performs, print after print, time and time again. The 6136 series combines exceptional speed and versatility with unmatched durability and reliability – delivering high quality prints in high-volume production environments. All in a tidy footprint.



#### **EXCEPTIONAL QUALITY, EVERY PRINT**

The AccurioPress 6136 series is loaded with innovations that produce unmatched print quality, including the extremely precise LED printhead (LPH) with impressive 1200 dpi resolution, advanced and highly stable transfer belt technology and Konica Minolta's unique enhanced screening technology that sharply boosts detailed text and screen gradation quality.



#### **REDEFINES HIGH VOLUME FOR HIGHER PRODUCTIVITY**

With the capability for three PF-710 high capacity paper feed units, the 6136 series can be configured to reach a maximum of 18,000 sheets of continuous paper supply. Up to three high-capacity stackers can support a maximum paper stack capacity of 15,000 sheets. That is what we call high volume.

AccurioPress 6136/6136P/6120 offers one of the most aggressive monthly duty cycle ratings in the digital production print industry, backed by the name you have come to trust: Konica Minolta.



#### **ULTRA PRECISE FRONT-TO-BACK REGISTRATION ADJUSTMENT**

Operator-controllable image rotation and skew adjustment for high-precision front-to-back registration. This gives your operator ultimate control of business cards, event tickets, student meal passes and other registration-sensitive applications.



#### **HIGH-SPEED, FLEXIBLE SCANNING CONVENIENCE**

The high-speed dual colour scanner has a maximum scanning speed of 240 ipm at 300 dpi duplex scanning, with enhanced Open API and IWS applications support. This provides powerful support to accommodate a wide array of legacy document sources and workflows for data archiving at schools, government agencies, law offices and more.

## IQ-501 INTELLIGENT QUALITY OPTIMIZER FOR ACCURACY AND REAL-TIME CORRECTION.

For the first time in a monochrome digital press, the AccurioPress 6136 series utilizes the IQ-501 Intelligent Quality Optimizer. Imagine automated density and front-to-back registration adjustments regardless of operator skill level. Picture constant, closed-loop correction on every page, measured and managed automatically, in real time, by your digital press. And now experience how simply it works, at the touch of a button.

### HOW THE IQ-501 WILL DRIVE RESULTS FOR YOUR BUSINESS

- Tightly controlled density and registration
- Minimal adjustment time
- Minimized paper waste and associated costs
- Minimal manual intervention
- Minimized need for service with automated, autonomous self-correction, increasing uptime

### HOW IQ-501 WORKS

The IQ-501 uses a spectrophotometer/camera combination to examine each sheet in real time, and using a closed-loop feedback system, continually measures and transmits density, fidelity and registration information to the engine. Corrections are then made on the fly, ensuring that every print is of the highest quality with the least amount of labour intervention.



## AT A GLANCE

### AccurioPress 6136/6136P/6120

- LED print head (LPH) with impressive 1200 dpi resolution
- Optional Intelligent Quality Optimizer for automatic density and registration control
- Media weights up to 350 gsm
- Industry-leading array of finishing options
- Real-time curl correction
- High-speed dual colour scanner
- Large capacity paper and stacking capability
- Superior print capacity with up to 3.24 M duty cycle



# HIGH-QUALITY MONOCHROME PRINTING THAT **PERFORMS WITH POWER.**

**The AccurioPress 6136 series is more than a workhorse.  
It is built to perform in high-volume environments.**

## **SUPERIOR OPERABILITY**

A large 15-inch touch panel makes operating the 6136 series easy, allowing for greater visibility and operability. Advanced job management support simplifies output work and reduces labour costs.

## **PAPER PROFILES**

Paper size, airflow and media types can be specified in each paper tray. Default optimum process settings can be selected instantaneously, allowing efficient paper setups with each job for up to 256 media profiles.

## **IMPROVED OPERATIONAL EFFICIENCY THROUGH JOB TICKET / PAGE EDITING**

The 6136 series enables your operator to view and edit job tickets, create previews and print sample output to confirm results. The result is complex and fine-scaled output operations that are efficient and waste-free.

## **EASY-TO-USE, FLEXIBLE UTILITIES**

The 6136 series is standard equipped with Color Centro software, the same colour management offered in our production colour solutions. Your operator can adjust tonal curves from a PC for images, text and graphics to enable optimized flexibility and outstanding, predictable results in image quality before the first piece is printed.

## **SEAMLESS OPERATIONS AND FLEXIBLE UTILITIES.**

- 15-inch large touch panel with superior visibility and operability
- Simple paper catalogue settings
- AccurioPro Print Manager, an easy-to-use interface accessed from a Web browser, provides functions equivalent to Job Centro on our colour production systems for job management of the printing system
- Color Centro software is standard so you can adjust tone curves right from a PC
- Direct Print using hot folders allows drag-and-drop PDF/TIFF file to print without starting up an application





# WIDE VARIETY OF FINISHING OPTIONS GIVE YOUR CUSTOMERS WHAT THEY WANT.

## FINISHING OPTIONS

The AccurioPress 6136/6136P/6120 features an extensive variety of finishing capabilities to help you power your business:



**Booklets**  
(including square-fold and full-bleed finishing)



**Perfect bound**



**Folding**



**Punching**



**GBC punching and binding**



**Stapling**



**Stacking**



## CHOICE OF CONTROLLERS TO SUIT YOUR WORKFLOW.

- Konica Minolta's internal image controller was developed in-house for powerful, affordable print management. Execute end-to-end automated workflows and simplify advanced print management to expand production printing.
- In addition to the Konica Minolta controller, the AccurioPress 6136 series will soon be compatible with both Fiery and Creo image controllers. Users currently using an EFI or Creo image controller can introduce the new controller without interrupting their familiar workflow. Both the Fiery and Creo image controllers will be available Spring 2018.





## BUILT FOR YOUR BUSINESS.

Professional print providers and central reprographic departments, including the specialized needs of law firms, financial institutions and nonprofit organizations, will appreciate Konica Minolta's state-of-the-art monochrome production press. It delivers ultimate productivity and high versatility for media handling as well as entry-level and professional finishing. Smooth integration into industry-standard workflows ensures the AccurioPress 6136 series will meet the needs of your customers.



## DESIGNED FOR OUR PLANET.

Protecting the planet has always been a top priority at Konica Minolta. Our broad array of environmental initiatives will help you realize your own sustainability goals:

### SUSTAINABILITY

Our exclusive Simitri® HD toner formulation uses plant-based biomass material to reduce environmental impact. Our presses use recycled PC/ABS resins and bioplastics in construction. The AccurioPress series models are EPEAT-Gold Certified and achieve among the lower power consumption rate of presses in their class.

### ECOVISION 2050

We are committed to a mid-century goal of reducing CO<sub>2</sub> emissions by 80% from 2005 levels, minimizing greenhouse gases that may contribute to global warming. We pursue that goal every day — minimizing energy consumption, cutting pollution and using recycled materials in construction.



# AccurioPress 6136/6136P/6120

MONOCHROME DIGITAL PRODUCTION PRESS



SYSTEM SPECIFICATIONS	ACCURIOPRESS 6136	ACCURIOPRESS 6136P	ACCURIOPRESS 6120
<b>Resolution</b>	<b>Print:</b> 1200 x 1200 dpi <b>Scan:</b> 600 x 600 dpi	<b>Print:</b> 1200 x 1200 dpi	<b>Print:</b> 1200 x 1200 dpi <b>Scan:</b> 600 x 600 dpi
<b>Paper weight</b>	<b>Standard:</b> 40–300 gsm <b>Opt.:</b> PF-710, PF-709 (middle tray): 40–350 gsm	<b>Standard:</b> 40–300 gsm <b>Opt.:</b> PF-710, PF-709 (middle tray): 40–350 gsm	<b>Standard:</b> 40–300 gsm <b>Opt.:</b> PF-710, PF-709 (middle tray): 40–350 gsm
<b>Auto duplex</b>	40–300 gsm	40–300 gsm	40–300 gsm
<b>Paper sizes (max.)</b>	324 x 463 mm (12.76" x 18.23") <b>Opt.:</b> PF-709: 324 x 463 mm (12.76" x 18.23") PF-710: 324 x 483 mm (12.76" x 19.02")	324 x 463 mm (12.76" x 18.23") <b>Opt.:</b> PF-709: 324 x 463 mm (12.76" x 18.23") PF-710: 324 x 483 mm (12.76" x 19.02")	324 x 463 mm (12.76" x 18.23") <b>Opt.:</b> PF-709: 324 x 463 mm (12.76" x 18.23") PF-710: 324 x 483 mm (12.76" x 19.02")
<b>Paper sizes (min.)</b>	182 x 139 mm (7.17" x 5.47") <b>Opt.:</b> PF-709: 95 x 139 mm (3.74" x 5.47") PF-710: 95 x 133 mm (3.74" x 5.24")	182 x 139 mm (7.17" x 5.47") <b>Opt.:</b> PF-709: 95 x 139 mm (3.74" x 5.47") PF-710: 95 x 133 mm (3.74" x 5.24")	182 x 139 mm (7.17" x 5.47") <b>Opt.:</b> PF-709: 95 x 139 mm (3.74" x 5.47") PF-710: 95 x 133 mm (3.74" x 5.24")
<b>Image loss (max.)</b>	3.0 mm or less for top edge 2.0 mm or less for bottom edge 2.0 mm or less for right/left edges	3.0 mm or less for top edge 2.0 mm or less for bottom edge 2.0 mm or less for right/left edges	3.0 mm or less for top edge 2.0 mm or less for bottom edge 2.0 mm or less for right/left edges
<b>Warm-up time</b>	420 seconds or less	420 seconds or less	420 seconds or less
<b>Paper input capacity</b>	<b>Standard:</b> 3,000 sheets <b>Max.:</b> 18,000 sheets	<b>Standard:</b> 3,000 sheets <b>Max.:</b> 18,000 sheets	<b>Standard:</b> 3,000 sheets <b>Max.:</b> 18,000 sheets
<b>Main unit dimensions (W x D x H)</b>	39" x 35.8" x 57"	39" x 35.8" x 57"	39" x 35.8" x 57"
<b>Main unit weight</b>	813.5 lb	761 lb	813.5 lb
<b>Power requirements</b>	208 VAC to 240 VAC, 20 A, 60 Hz	208 VAC to 240 VAC, 20 A, 60 Hz	208 VAC to 240 VAC, 20 A, 60 Hz

## PRODUCTIVITY

<b>8.5" x 11" (max. per minute)</b>	136 ppm	136 ppm	120 ppm
<b>Monthly duty cycle (max.)</b>	3,240,000 pages	3,240,000 pages	2,500,000 pages

## CONTROLLER

<b>Type</b>	Embedded (network standard)	Embedded (network standard)	Embedded (network standard)
<b>CPU</b>	Intel i5-4570S 2.9 GHz	Intel i5-4570S 2.9 GHz	Intel i5-4570S 2.9 GHz
<b>Memory</b>	16 GB	16 GB	16 GB
<b>HDD/SSD</b>	HDD: 1-TB x2, SSD: 4 GB	HDD: 1-TB x2, SSD: 4 GB	HDD: 1-TB x2, SSD: 4 GB
<b>Print-description language</b>	PCL SE/XL (PCL 6), Adobe PostScript 3 (PS3020), PDF v1.7, TIFF v6, PPML v2.2, APPE 4.2 (with UK-217)	PCL SE/XL (PCL 6), Adobe PostScript 3 (PS3020), PDF v1.7, TIFF v6, PPML v2.2, APPE 4.2 (with UK-217)	PCL SE/XL (PCL 6), Adobe PostScript 3 (PS3020), PDF v1.7, TIFF v6, PPML v2.2, APPE 4.2 (with UK-217)
<b>Printing method</b>	TCP/IP (LPR, RAW socket), NetBEUI, IPP, WSD, Bonjour, SMB	TCP/IP (LPR, RAW socket), NetBEUI, IPP, WSD, Bonjour, SMB	TCP/IP (LPR, RAW socket), NetBEUI, IPP, WSD, Bonjour, SMB
<b>Applicable OS</b>	PCL, PS, PS Plug-in: Windows 7 <sup>*1</sup> /8.1 <sup>*1</sup> /10 <sup>*1</sup> Windows Server 2008/2008 R2/2012/2012 R2/2016 Mac OS X 10.8/10.9/10.10/10.11/10.12	PCL, PS, PS Plug-in: Windows 7 <sup>*1</sup> /8.1 <sup>*1</sup> /10 <sup>*1</sup> Windows Server 2008/2008 R2/2012/2012 R2/2016 Mac OS X 10.8/10.9/10.10/10.11/10.12	PCL, PS, PS Plug-in: Windows 7 <sup>*1</sup> /8.1 <sup>*1</sup> /10 <sup>*1</sup> Windows Server 2008/2008 R2/2012/2012 R2/2016 Mac OS X 10.8/10.9/10.10/10.11/10.12
<b>Interface</b>	10/100/1000BASE-T, USB 3.0 host, USB 2.0 device	10/100/1000BASE-T, USB 3.0 host, USB 2.0 device	10/100/1000BASE-T, USB 3.0 host, USB 2.0 device

<sup>\*1</sup> Including 64-bit versions.

## SCANNER SPECIFICATIONS

<b>Type</b>	Full colour	N/A	Full colour
<b>Scan speed (8.5" x 11")</b>	Single-sided: 120 ipm/duplex: 240 ipm	N/A	Single-sided: 120 ipm/duplex: 240 ipm
<b>Scan resolution</b>	600 x 600 dpi	N/A	600 x 600 dpi
<b>Scan modes</b>	Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan-to-WebDAV; Scan-to-USB	N/A	Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan-to-WebDAV; Scan-to-USB
<b>Scan formats</b>	TIFF, PDF, Encrypted PDF, PDF/A-1a, PDF/A-1b, Compact PDF, JPEG, XPS	N/A	TIFF, PDF, Encrypted PDF, PDF/A-1a, PDF/A-1b, Compact PDF, JPEG, XPS

## COPIER SPECIFICATIONS

<b>Gradations</b>	256 gradations	N/A	256 gradations
<b>First copy out<sup>1</sup></b>	2.7 seconds or less	N/A	2.8 seconds or less
<b>Continuous print speed<sup>2</sup></b>	136 pages/min (letter landscape)	N/A	120 pages/min (letter landscape)
<b>Magnification</b>	25–400% in 0.1% steps	N/A	25–400% in 0.1% steps

<sup>1</sup> When letter landscape original is scanned on the platen (zoom 100%, Tray-1).

<sup>2</sup> Print speed may vary depending on paper type.

## AccurioPress 6136/6136P/6120 OPTIONS

MONOCHROME DIGITAL PRODUCTION PRESS

### OPTIONS

<b>CR-101</b>	Creaser unit for SD-513
<b>EF-105</b>	Envelope fuser
<b>FA-503</b>	PFU adjustment kit
<b>FD-503</b>	Multi-fold punch unit
<b>FD-504</b>	Square folding unit for SD-513
<b>FS-532</b>	100-sheet staple finisher
<b>FS-532 PK/SD</b>	100-sheet staple finisher with PK and SD-510-522
<b>Punch G2</b>	GBC advanced multi-punching unit
<b>GP-501</b>	GBC multi-hole punch unit
<b>GP-502</b>	GBC inline ring binding unit
<b>HD-523</b>	Inner HDD kit
<b>HM-103</b>	Humidification unit for RU-518
<b>HT-506</b>	Dehumidification heating unit for PF-710
<b>IQ-501</b>	Intelligent quality optimizer
<b>LC-501</b>	Cart for LS-506
<b>LS-506</b>	Stacking unit
<b>MK-732</b>	Post-insertion mount kit for FS-532

<b>MK-737</b>	Mount kit for third-party products
<b>OT-510</b>	Open stacker
<b>PB-503</b>	Perfect binder
<b>PF-709</b>	Friction paper feed unit w/air assist
<b>PP-701</b>	Preprinted paper kit for PF-709
<b>PF-710</b>	Vacuum paper feed unit
<b>PI-502</b>	Post inserter for FS-532
<b>PK-522</b>	2/3-hole punch for FS-532
<b>RH-101</b>	Removable HDD kit
<b>RU-510</b>	Relay unit for GP-501
<b>RU-518</b>	Relay unit for de-curling
<b>SD-506</b>	Booklet-making unit
<b>SD-510</b>	Saddle-stitch kit for FS-532
<b>SD-513</b>	Saddle-stitch unit
<b>SD-513/F</b>	Saddle stitcher front
<b>TU-503</b>	Trimmer unit for SD-513

## AccurioPro

### SOLUTIONS FOR MAXIMIZING PRODUCTIVITY AND GROWING YOUR BUSINESS.

AccurioPro is a comprehensive suite of modular tools and solutions that automate labour-intensive processes to streamline workflow and maximize productivity. As industry demands continue to change and grow, AccurioPro will drive efficiencies to reduce costs, increase accuracy and productivity, while strengthening your current investments.

#### AccurioPro Connect

AccurioPro Connect provides you with the tools you need to streamline your production print workflow. This powerful application allows you to automate prepress processes, customize complex print jobs, route files based on colour, page count, metadata, etc., connect to other AccurioPro systems, manage job ticket information, and much more.

#### AccurioPro Conductor

This single point of control allows you to centrally manage multiple printers — even when running multiple printing jobs that require different specifications and requirements. Jobs are automatically allocated to the right printer and processed according to priority.

#### AccurioPro Flux

AccurioPro Flux is a powerful make-ready solution for professional print management, job editing, cluster printing and product-based job processing. It allows you to manage incoming jobs by choosing from a wide range of intelligent print functions. AccurioPro Flux optimizes your print output and processing while minimizing costs, reducing waste and saving time.



## PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives.

### IT INFRASTRUCTURE REVIEW

Let Konica Minolta take the guesswork out of maintaining a healthy and secure company network. Get actionable insight with a high-level review of your IT to help you identify areas of concern and risk with your network. We will deliver a detailed report of our findings, and provide a no-obligation strategy session with one of our Solutions Architects to review the results.

Contact us to realize opportunities in:

### INFORMATION MANAGEMENT

- Enterprise Content Management (ECM)
- Document Management
- Automated Workflow Solutions
- Business Process Automation
- Security and Compliance

### IT SERVICES

- Cloud Solutions
- Information Security
- Virtual Desktops
- Data Protection Services
- Unified Communications
- Managed IT Services
- Mobility
- Business Consulting Services

### TECHNOLOGY

- Office Multifunction Business Solutions
- Commercial and Production Printers
- 3D Printers
- Wide-Format Printers
- Laptops, Desktops and Computer Hardware
- Servers and Networking Equipment
- Managed Print Services (MPS)



For complete information on Konica Minolta products and solutions, please visit: [www.konicaminolta.ca](http://www.konicaminolta.ca)

© 2018 KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design and specifications are subject to change without notice.



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD.  
5875 Explorer Drive, Mississauga, ON L4W 0E1

[www.konicaminolta.ca](http://www.konicaminolta.ca)



Item #: AP6136BROCH  
03/2018-C