



# ACCELERATE YOUR BUSINESS WITH AccurioPress SYSTEMS

To stay in the black, your business needs to stay productive.

The AccurioPress 7136 series is all you need for Smart Factory printing at speed. Optimise your print production planning and maximise the profitability of your mid-volume print environment with these next generation systems. Built on almost 20 years of expertise in print production the AccurioPress 7136 series knows what you need, integrating seamlessly with your workflow. Better still, it connects easily with your service and business platforms – whether they're on site or in the cloud.

### **Exceptional print quality every time**

Its exclusive Intelligent Quality Optimizer IQ-501 leverages Konica Minolta's long history of brilliant imaging technology allowing you to wow your customers with stunningly consistent prints, time and time again.

### **Grow your business**

Our mission is to empower you to grow your business with our solutions. The AccurioPress 7136/7136P/7120 is a great example, helping you with its extensive variety of supported media, from thin to thick paper (up to 350 gsm) including envelopes. What's more, our stock library provides a stack of media profiling capabilities to ensure you can always access the right setting for the best available output.


### **Intelligent Automation**

The optional IQ-501 Intelligent Quality
Optimizer ensures you get perfectly
consistent colour quality and front-to-back
registration on every print, in real-time.
And because there are no recalibrations or
inspections mid-run, you'll benefit from
improved productivity too.

### **Boost your operational efficiency**

Our new generation of true production systems has been designed to increase the uptime of your press and print, saving you time. Their range of new features lets you produce more higher-value print products more quickly. By pairing your AccurioPress 7136/7136P/7120 with one of more of our professional in-line finishers – such as booklet making, punching or binding – you can enhance your productivity to the maximum.





### **RETHINK TECHNOLOGY**

### S.E.A.D. IMAGE PROCESSING

Konica Minolta's own advanced colour processing technology of the second generation is called S.E.A.D., which stands for "Screen-Enhancing Active Digital Process" and combines an array of technical innovations to guarantee truly exceptional colour reproduction at top speed. S.E.A.D. includes these important capabilities:

### **SIMITRI HD TONER**

The extremely small size and uniform shape of ultra-fine Simitri<sup>®</sup> HD toner particles assure highest image quality as well as razor-sharp reproduction of text and line drawings. Simitri<sup>®</sup> HD unfailingly delivers consistently excellent image output quality on par with offset quality.



### **MEDIA DETECTION SENSOR**

The optional media sensor IM-101 automatically detects the type, weight, thickness and surface of each substrate, and proposes the appropriate paper settings from the catalogue.


This makes wrong paper settings a thing of the past, avoiding misprints and waste.

## INTELLIGENT QUALITY OPTIMIZER

An automatic mode enables even unskilled operators to make simple and straightforward adjustments to density and front to back registration in no time, facilitating the continuous production of prints with the highest quality.







### **VACUUM PAPER FEEDING**

For high-volume printers, feeding each and every sheet smoothly and precisely through the digital press is an essential requirement. To ensure this, Konica Minolta offers professional and intelligent paper feeding that builds upon proven concepts, including a combination of air separation of sheets and suction/vacuum feeding. This ensures smooth paper processing throughout the printing system. For efficient printing on offset preprinted and coated stock as well as under conditions of high humidity, an optional heating unit can be added to enhance this precise technology further.





### **POWERFUL PRINT SERVER**

### RETHINK YOUR USER EXPERIENCE

### MIC-4160 FIERY CONTROLLER

Reduce labour costs, cut turnaround times, and minimise errors and paper waste with the advanced job management and workflow automation that the MIC-4160 provides. Streamline your job layout with the Fiery's instant visual preview and advanced ready-made capabilities. What's more, by supporting industry leading variable data printing (VDP) formats, the Fiery also produces personalised short-run jobs profitably.

### **IC-316m CREO CONTROLLER**

The Creo® IC-316m external print controller offers unparalleled through performance and automation. Supports perfect variable data printing integration and is the ideal choice for hybrid prepress workflows. Beyond that, the Creo features Remote Site Manager status tracking, JDF connectivity, Creo job ticket software, and much more.

### MIC-4170 FIERY CONTROLLER


Produce high value, complex applications with superior image quality to maximise your profitability. The top-of-the-line Fiery® MIC-4170 will improve your bottom line with best-in-class processing, outstanding quality and time-saving workflows. Automate job preparation steps in prepress workflows to produce ready-to-print files with Fiery JobFlow™ Base. This easy-to-use automation software increases productivity and reduces costs.

### **KONICA MINOLTA OWN CONTROLLER**

The Konica Minolta controller comes with powerful workflow benefits printing at full rated engine speed, highspeed RIP processing, enhanced accuracy in colour reproduction, various colour management functions as well as full compatibility with print engine on-board job control and editing functions.


### **Functions and Features**

Queue management




Page editing

Tone curve utility



Job properties





## STREAMLINE YOUR PRODUCTION

### **RETHINK YOUR WORKFLOW**

Evolving from our expertise in precision technologies and more than 80 years of experience in the printing and imaging industries, AccurioPro reflects our commitment to developing market-shaping technology with functionality that enables your business to grow. AccurioPro, Konica Minolta's suite of digital solutions for professional printing, is one of the industry's most versatile and powerful tools to optimise print production operations and workflows.


For all printing companies looking to integrate their printing as well as businesses that use digital printing

to produce their own in-house publications and promotional materials, AccurioPro boosts speed and efficiency, expands capabilities and services, and reduces the need for operational manpower – all of which will help improve your profitability!

The comprehensive suite of features that AccurioPro offers includes centralised management, software for automated workflow processing, colour management, seamless integration of different printing technologies and full connectivity of all Konica Minolta printing systems used from input to output.

### AccurioPro POSSIBILITIES

### **RETHINK YOUR WORKFLOW**



## YOUR ADVANTAGES WITH THE Accurio Press 7136

### RETHINK MONOCHROME PRINT PRODUCTION

## READY-MADE PRINT PRODUCTS

- 50-sheet booklet making with front trimming and optional creasing, slitting and spine corner forming
- Perfect binding for books of up to 1.18"
- 100-sheet stapling with cutting mechanism
- Automated inline business card and postcard cutting
- Full bleed 11 x 17" and 8.5 x 11" posters

## DURABLE PERFORMANCE

### AccurioPress 7136/7136P

- Duty Cycle up to 3.24 million prints
- Up to 136 8.5 x 11" pages per minute

### AccurioPress 7120

- Duty Cycle up to 2.5 million prints
- Up to 120 8.5 x 11" pages per minute

### **HIGHEST RELIABILITY**

- Long-life platform, long-lasting parts and consumables
- Optimal registration results via ICCU
- Belt transfer system
- For prints with maximum efficiency
- For lucrative short-run printing

## GEARED-UP FINISHING

- Multi (GBC) punching and
   2- & 4-hole punching
- 6 different types of folding
- 3<sup>rd</sup>-party Products
- Large-capacity stacking
- 2 Perforations in feed direction,
   5 Perforations in Cross feed direction
- Up to 5 Creases downwards or upwards

### **SIMPLY EFFICIENT**

- Automated engine linearisation
- Automated duplex registration
- Automated profiling
- Real-time adjustments
- Purge function

### **HIGH-END PRINT CONTROL**

- Flexible choice of controller technology:
   Fiery, Creo or Konica Minolta Controller
- Integration into hybrid workflows

### **EASE OF USE**

- Auto Inspection Technology
- About 220 paper profiles loaded as standard
- Optional Intelligent Media Sensor IM-101 to detect type and weight of the paper
- Unified user interface among Konica Minolta engines

### **PERFECT IMAGE QUALITY**

- 1,200 x 1,200 dpi print resolution
- Tone Curve Utility
- S.E.A.D. Technology
- Simitri HD Toner Technology

## SOPHISTICATED MEDIA HANDLING

- Air suction feeding technology
- Up to 18,000 sheets paper feeding from 11 trays
- Pre-set paper catalog

## COMPREHENSIVE MEDIA PROCESSING

- Paper weights from 40 350 gsm in simplex and up to 300 gsm in duplex printing
- Optional heating units to support preprinted paper
- Envelop printing as standard
- Optional inter-cooler and eliminator

| FINISHING & FUNCTIONS                     | Letter fold | 2/4 hole<br>Punching | Two-point stapling | Corner stapling | Stacking   | Booklet    | Trimming   |
|---|-------------|----------------------|--------------------|-----------------|------------|------------|------------|
| Open stacker OT-512                       |             |                      |                    |                 |            |            |            |
| Staple finisher FS-532/541                |             | $\bigcirc$           |                    |                 |            | $\bigcirc$ |            |
| Booklet making unit SD-513                |             |                      |                    |                 |            |            |            |
| Stacking unit LS-507                      |             |                      |                    |                 |            |            |            |
| Folding and punching unit FD-503          | $\bigcirc$  |                      |                    |                 | $\bigcirc$ |            |            |
| Perfect binding unit PB-503               |             |                      |                    |                 |            |            |            |
| Booklet making unit SD-506                |             |                      |                    |                 |            |            |            |
| Trimming unit TU-510                      |             |                      |                    |                 |            |            |            |
| Booklet making unit Plockmatic SD-435/450 |             |                      |                    |                 |            |            | $\bigcirc$ |
| Booklet making unit PSQ-160               |             |                      |                    |                 |            |            |            |
| Booklet making unit PSQ-224               |             |                      |                    |                 |            |            |            |
| Ring binding unit GBC G1                  |             |                      |                    |                 |            |            |            |
| Multi punching unit GBC G3                |             |                      |                    |                 |            |            |            |

| Creasing   | Slitting   | Perforation | Square-<br>folding | Multi Letter fold-In | Post<br>Insertion | Perfect<br>Binding | Wire-<br>binding | Ring-binding | Multi-<br>punching |       |
|------------|------------|-------------|--------------------|----------------------|-------------------|--------------------|------------------|--------------|--------------------|-------|
|            |            |             |                    |                      |                   |                    |                  |              |                    | ENTRY |
| $\bigcirc$ | $\bigcirc$ |             | $\bigcirc$         |                      |                   |                    |                  |              |                    |       |
|            |            |             |                    |                      |                   |                    |                  |              |                    |       |
|            |            |             |                    |                      |                   |                    |                  |              |                    | MID   |
|            |            |             |                    |                      |                   |                    |                  |              |                    |       |
| $\bigcirc$ |            |             |                    |                      |                   |                    |                  |              |                    |       |
| $\bigcirc$ | $\bigcirc$ |             | $\bigcirc$         |                      |                   |                    |                  |              |                    |       |
|            |            |             |                    |                      |                   |                    |                  |              |                    |       |
|            |            |             |                    |                      |                   |                    |                  |              |                    | HIGH  |
| $\bigcirc$ |            | $\bigcirc$  |                    |                      |                   |                    |                  |              |                    |       |





## **10 GOOD REASONS**TO CHOOSE THE Accurio Press 7136 series



### 1. PERFECT IMAGE QUALITY

with Konica Minolta's own imaging technology and toner development.



## 2. OUTSTANDING PAPER COMPATIBILITY

for media from 40 to 350gsm. Excellent paper feeding options plus de-curling and paper cooling as standard.



### 3. VERSATILE CONFIGURATIONS

with over 700 ways to set up your press.



## 4. BENEFIT FROM GREAT BUILT-IN TECHNOLOGIES

such as the latest screening and registration.



### **5. SHORT TURNAROUNDS**

thanks to workflow automation options.



### **6. INCREASE UPTIME**

with automated and time reduced set up times.



## 7. IMPROVE YOUR CUSTOMER LOYALTY

with auto quality measures to meet expectations.



### 8. MORE JOBS IN THE SHOP

with ready-made print products, geared-up finishing and a variety of in-line solutions.



### 9. AUTOMATED FINISHING

with many unique in-line options to create ready-toship booklets, perfectly bound books, ring or wire bound books and much more.



### 10. COMPLIANCE

with global environmental standards.

## TAKE LEADERSHIP AND RESPONSIBILITY

### RETHINK TOMORROWS BUSINESS

### **MADE FOR YOUR BUSINESS**

### **Commercial printers**

Growing your business and getting the maximum out of your investment is what the AccurioPress 7136 series promises. The high speed, high productivity and high uptime help you achieve shortest turnaround times. Combined with great media flexibility with stocks of up to 350 gsm, you further enhance the offerings of your print shop. Quality issues are a thing of the past, as these presses offer a wide range of tools to control and adjust themselves.

### **CRDs**

AccurioPress 7136 series support a high degree of automation and yet also ensure high-level quality. Professional inline finishing produces ready-made print products at the click of a finger. Their versatile media flexibility and high productivity make AccurioPress 7136/7136P/7120 a solid and lucrative investment for the future.

### **DESIGNING FOR OUR PLANET**

Konica Minolta promotes sustainable development and integrates environmental and social perspectives into its business strategies. You can rely on Konica Minolta products to underpin your green strategy to build your business.

Committed to help prevent global warming, Konica Minolta strives to reduce CO2 emissions during product manufacture, product distribution, at the sales stage, and during product use. Enabling carbon neutrality, Konica Minolta offers its customers the offset of unavoidable CO2 emissions for production printing. Together with the experts from Climate Partner, Konica Minolta proposes a new and profound eco concept for our professional production presses.





### CONTROLLER AND OPTIONS

### **RETHINK THE NEEDS**

### KONICA MINOLTA CONTROLLER

| Туре             | Built-in type  |
|------------------|--|
| Resolution       | Print: 1,200 x 1,200 dpi; 600 dpi x 600 dpi                    |
| СРИ              | Intel i5 6500 3.2 GHz  |
| Memory           | 16 GB  |
| HDD              | 2x 1TB   |
| SSD              | 4 GB   |
| Interface        | Ethernet 10/100/1000BASE-T; USB 3.0                            |
|                  | (for direct print, service) USB 2.0 (for local print)          |
| Page-description | PCL5E/XL (PCL6); Adobe PostScript 3 (PS3020);                  |
| language         | PDF directprint (PDF Ver.1.7); TIFF (TIFF Ver.6) direct print; |
|                  | PPMI (Ver 2.2) APPF (Ver 4.6 TIK-217 required)                 |

### FIERY IMAGE CONTROLLER MIC-4160

| Architecture     | External  |
|------------------|---|
| OS               | Windows 10  |
| СРИ              | Intel Pentium Gold G5400                                  |
| Clock speed      | 3.7 GHz   |
| RAM              | 8 GB (2x 4 GB)  |
| HDD              | 500 GB, SSD boot driver for OS and Fiery software         |
| Page-description | Adobe PostSript 3; PDF v1.7; APPE v5.5; PDF/VT-1/-2 v3;   |
| language         | PDF/X1a,3,4; PPML v3.0; PCL; Creo VPS;                    |
|                  | Applicable OS Windows 8.1/10;                             |
|                  | Windows Sanger 2012 / D2 / 2016 / 2010: Mac OS V 10 11 14 |

### FIERY IMAGE CONTROLLER MIC-4170

| Architecture     | External  |
|------------------|---|
| os               | Windows 10  |
| СРИ              | Intel i5-8500 processor                                 |
| Clock speed      | 3.2 GHz   |
| RAM              | 8GB (2x4GB)   |
| HDD              | 1TB, SSD boot driver for OS and Fiery software          |
| Page-description | Adobe PostSript 3; PDF v1.7; APPE v5.5; PDF/VT-1/-2 v3; |
| language         | PDF/X1a,3,4; PPML v3.0; PCL; Creo VPS;                  |
|                  | Applicable OS Windows 8.1/10;                           |
|                  | Windows Server 2012/R2/2016/2019; Mac OS X 10.11-14     |

### IC-316M CREO CONTROLLER

| Architecture     | External  |
|------------------|---|
| os               | Windows 10  |
| СРИ              | Intel i7-8700   |
| Clock speed      | 3.7 GHz   |
| RAM              | 8GB (2x4GB)   |
| HDD              | 8 TB (2 TB system; 3x 2 TB image)                                 |
| Page-description | Adobe PostSript 3; PDF v1.7; APPE v4.9; PDF/VT-1/-2; PDF/X1a,3,4; |
| language         | PPML; Creo VPS; AFP, IPDS; JPEG; TIFF (v6,1bit)                   |
|                  | Applicable OS Windows 8.1/10; Windows Server 2012/                |
|                  | R2/2016/2019; Mac OS X 10.11-15                                   |

### OPTIONS

| OFTIONS                               |                  |
|---------------------------------------|------------------|
| Air assist paper feed unit            | PF-709           |
| Pre-printed paper feed kit for PF-706 | PP-701           |
| Air-assist paper feed unit            | PF-710           |
| Heating unit for PF-710               | HT-506           |
| Post insertion unit                   | PI-PFU           |
| Relay unit                            | RU-518m          |
| Humidification unit                   | HM-103           |
| Integrated Colour Care unit           | IQ-501           |
| Purge Unit                            | RU-702           |
| Auto Inspection Unit                  | UK-301           |
| Envelop Fusing Unit                   | EF-109           |
| Intelligent Media Sensor              | IM-101           |
| Relay unit                            | RU-510           |
| Folding and punching unit             | FD-503           |
| Stacking unit                         | LS-507           |
| Booklet making unit                   | SD-506           |
| Booklet making unit                   | SD-513           |
| Creasing unit for SD-513              | CR-101           |
| Slitting unit for SD-513              | TU-503           |
| Spine corner forming unit for SD-513  | FD-504           |
| Perfect binding unit                  | PB-503           |
| Stapling unit                         | FS-532m          |
| Stapling unit                         | FS-541           |
| Saddle stitch kit for FS-532m /FS-541 | SD-510           |
| Punch kit for FS-532m/FS-541          | PK-525           |
| Post inserter for FS-532m /FS-541     | PI-502           |
| Open stacker                          | OT-512           |
| Trimmer Unit                          | TU-510           |
| Creaser kit (Downwards)               | CR-102           |
| Creaser kit (Upwards )                | CR-103           |
| Trimmer kit                           | TU-504           |
| Business Card Unit                    | JS-507           |
| Perforation kit Horizontal            | PE-101           |
| Perforation kit Vertical              | PE-102           |
| Scrap ejection kit                    | MK-765           |
| Mount kit for 3rd-party options       | MK-737           |
| GBC Punch                             | G3               |
| GBC Wire Binder                       | G1               |
| Plockmatic                            | PowerSquare™ 160 |
| Plockmatic                            | PowerSquare™ 224 |
| Plockmatic                            | SD-450/SD-435    |
|                                       |                  |



### **TECHNICAL SPECIFICATIONS**

### **RETHINK INNOVATION**

#### SYSTEM SPECIFICATIONS

| Resolution           | 1,200 x 1,200 dpi                                 |  |
|----------------------|---|--|
| Paper weight         | 40-350 gsm  |  |
| Paper sizes          | Min.: 3.74" x 5.24" (95 x 133 mm) *               |  |
|                      | Max.: 12.76" x 19.02" (324 x 483 mm) *with PF-710 |  |
| Paper input capacity | Max.: 18,000 sheets                               |  |
| Main unit dimensions | 39" x 35.8" x 57" (990 x 910 x 1,454 mm)          |  |
| (W x D x H)          |   |  |
| Main unit weight     | 813.5 lb (AccurioPress 7136/7120)                 |  |
|                      | 761 lh (AccurioPress 7136P)                       |  |

#### **PRODUCTIVITY**

| AccurioPress 7136/7136P     |           |  |
|-----------------------------|-----------|--|
| 8.5 x 11" - max. per minute | 136 ppm   |  |
| 11 x 17" - max. per minute  | 76 ppm    |  |
| 12 x 18" - max. per minute  | 74 ppm    |  |
| 8.5 x 11" - max. per hour   | 7,940 ppm |  |
| 11 x 17" – max. per hour    | 4,526 pph |  |
| 12 x 18" – max. per hour    | 4.274 pph |  |

### **PRODUCTIVITY**

| AccurioPress 7120           |           |
|-----------------------------|-----------|
| 8.5 x 11" - max. per minute | 120 ppm   |
| 11 x 17" – max. per minute  | 78 ppm    |
| 12 x 18" – max. per minute  | 66 ppm    |
| 8.5 x 11" - max. per hour   | 7,034 pph |
| 11 x 17" – max. per hour    | 4,072 pph |
| 12 x 18" - max. per hour    | 3,846 pph |

- All specifications refer to 8.5 x 11" size paper of 80 gsm quality unless otherwise noted.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

For more information about Konica Minolta products and solutions, please visit: www.konicaminolta.ca

© 2023 KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design and specifications are subject to change without notice.



### KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD.

5875 Explorer Drive, Suite 100 Mississauga, Ontario, L4W 0E1

www.konicaminolta.ca



KMCA-AP7136-B-20-10-23-EN