

bizhub caazii Colour A4 multifunctional









CUSTOMER BENEFITS



Intuitive operability
Operate the bizhub like a
smartphone or tablet with fully
customized user interface



Mobile connectivity
Print anytime from anywhere
with Konica Minolta's
innovative mobile technologies



Security
Secure network integration,
data encryption, and advanced
user authentication



Application ecosystem Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio




Services
Efficient printer fleet management,
including automatic consumables
delivery, pro-active maintenance
and remote setup



Sustainability Numerous eco features reduce energy consumption and costs

OPTIONS















FINISHING FUNCTIONALITIES





Duplex

Corner Stapling (offline)

DESCRIPTION

LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of al incoming and outgoing data
CONNECTIVITY	
FK-517 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-P08 USB I/F kit	USB keyboard connection
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth
EK-P10 NFC I/F kit	To connect with Android mobile devices
ID card reader	Various ID card technologies
MK-P08 Mount kit	Installation kit for ID card reader

WT-P03 Working Table	Authentication device placement
KP-P03 10-Key pad	For use instead of touchscreen
KH-P02 Keyboard holder	To place USB keyboard
External Keyboard	External Keyboard
MEDIA INPUT	
	500 sheets, 8.5" x 11" or 8.5" x 14" , 60-90 g/m²
MEDIA INPUT PF-P28 Paper tray PF-P25 Height adjustment unit	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 g/m ² To achieve comfortable height for operation

20-sheet off-line stapling

MEDIA OUTPUT

FS-P04 Off-line stapler

TECHNICAL SPECIFICATIONS

System speed Letter	Up to 35/35 ppm (mono/colour)
Auto Duplex speed Letter	Up to 35/35 ppm (mono/colour)
1st page out time Letter	6.0/7.2 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Imaging technology	Laser
Toner technology	Simitri® V polymerized toner
Panel size/resolution	7" / 800 x 480
System memory	4 GB (standard/max)
Sold State Drive	16 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 80 originals; 5.8" x 8.3" to 8.5" x 14"; 50-128 g/m ² ;
	Dual Scan ADF
Printable paper size	3.5" x 8.8" to 8.5" x 14"; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,100 sheets (standard/max)
Paper tray input (standard)	1x 500; 3.9" x 5.8" to 8.5" x 11"; custom sizes; 60-210 g/m 2
Paper tray input (optional)	1x 500 sheets; 8.5" x 11" to 8.5"x14"; 60-90 g/m ²
Manual bypass	100 sheets; 3.5" x 8.8" to 8.5" x 14"; custom sizes; 60-210 g/m ²
Finishing modes (optional)	Group; Sort; Staple (offline)
Automatic duplexing	8.5" x 11"; 60-210 g/m ²
Output capacity	Up to 250 sheets
Duty cycle (monthly)	Rec. 6,500 pages; Max. ² 96,000 pages
Toner lifetime	Black up to 13,000 pages
	CMY up to 9,000 pages
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)
	CMY up to 100,000 pages (imaging unit)
Power consumption	110–120 V / 50/60 Hz; Less than 1.45 kW
System dimension (W x D x H)	16.5" x 20.7" x 22.5" (without options)
System weight	Approx. 84 lb. (without options)

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 10 (32/64); Windows 11; Windows Server 2012;
	Windows Server 2012 R2; Windows Server 2016;
	Windows Server 2019; Windows Server 2022;
	macOS 10.14 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin;
	Barcode fonts (optional); OCR A and B fonts (optional);
	Unicode fonts (optional)
Mobile printing	AirPrint (iOS); Mopria (Android);
	Konica Minolta Mobile Print (iOS/Android)
	optional: WiFi Direct
00/11/11/21/01/2011/0/11/01/0	Up to 30/30 ipm in simplex (mono/colour)
SCANNER SPECIFICATIONS	
SCANNER SPECIFICATIONS Scan speed	
Scan speed	Up to 58/58 ipm in duplex (mono/colour)
Scan speed Scan resolution	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi
Scan speed	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);
Scan speed Scan resolution Scan modes	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan
Scan speed Scan resolution	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;
Scan speed Scan resolution Scan modes File formats	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan
Scan speed Scan resolution Scan modes	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;
Scan speed Scan resolution Scan modes File formats	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX
Scan speed Scan resolution Scan modes File formats Scan destinations COPIER SPECIFICATIONS	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX
Scan speed Scan resolution Scan modes File formats Scan destinations	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,000 destinations + 100 groups; LDAP support
Scan speed Scan resolution Scan modes File formats Scan destinations COPIER SPECIFICATIONS Copy resolution	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,000 destinations + 100 groups; LDAP support
Scan speed Scan resolution Scan modes File formats Scan destinations COPIER SPECIFICATIONS Copy resolution Gradation	Up to 58/58 ipm in duplex (mono/colour) Up to 600 x 600 dpi Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX 2,000 destinations + 100 groups; LDAP support

FAX SPECIFICATIONS

Trucor Lon Torthons	
Fax standard	Super G3 (optional)
Fax transmission	Analog; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 single + 100 groups
SYSTEM FEATURES	
Security	IP filtering and port blocking; SSL3 and TLS1.1/1.2/1.3 network
	communication; IPsec support; IEEE 802.1x support;
	User authentication; Kerberos; Data encryption (AES 256);
	Confidential fax; Print user data encryption
	optional: Antivirus realtime scanning (Bitdefender®)
Accounting	Up to 100 user accounts; Active Directory support (user name +
	password + e-mail + smb folder); User function access definition;
	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator;
	Web Connection; Print Status Notifier; Driver Packaging Utility;

Log Management Utility

- 1 Warm-up time may vary depending on the operating environment and usage
- ² If the maximum volume is reached within a period of one year, then a maintenance cycle must be
- All specifications refer to letter-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

 - The stated life expectancy of each consumable is based on specific operating conditions such as page coverage
- for a particular page size (5% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

PARTNERSHIP.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT

Enterprise Content Management (ECM) Document Management Automated Workflow Solutions Business Process Automation Security and Compliance eDiscovery Services

IT SERVICES

IT Consulting & Projects Apple Managed Services

Application Services Cloud Services IT Security Managed IT Services

Managed Voice Services Technology Implementation and Deployment

TECHNOLOGY


Office Multifunction Business Solutions Commercial and Production Printers **Industrial Printers** Wide Format Printers 3D Printers Scanners

Security Surveillance Systems

Laptops, Desktops and Computer Hardware Servers and Networking Equipment Managed Print Services (MPS) Managed Enterprise Services



Mobility

















For more information about Konica Minolta products and solutions, please visit: www.konicaminolta.ca

© 2024 KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or $registered\ trademarks\ of\ their\ respective\ companies\ or\ organizations.\ All\ features\ and\ functions\ described\ here\ may\ not\ be\ available\ on\ some\ products.\ Design\ and\ specifications\ are\ subject\ to\ change\ without\ notice.$



KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD.

5875 Explorer Drive, Suite 100 Mississauga, Ontario, L4W 0E1 www.konicaminolta.ca

