



KONICA MINOLTA

SEE THE POTENTIAL OF OUR NEXT GENERATION WIDE FORMAT PRINTERS

RETHINK WIDE FORMAT PRINTING



Accurio*Wide*

HYBRID UV LED WIDE FORMAT INKJET PRINTERS

Giving Shape to Ideas

WITH THE ACCURIOWIDE 160/200/250 KONICA MINOLTA IS GOING WIDE WITH INKJET

If you've been looking to combine rigid and flexible roll print jobs within one printer, the AccurioWide hybrid UV LED wide format printer series is perfect for you. We offer three models so you can select the one that suits your needs: AccurioWide 160 at a media width of 1.6 metres; the AccurioWide 200 at a media width of 2.0 metres, or the AccurioWide 250 at a media width of 2.5 metres. Its superior image quality and high productivity for outdoor and indoor job applications will impress your most challenging, quality-minded customers. The printer is equipped with UV LED lamps that allow you to print on a wider range of media — while simultaneously saving energy, time and costs. The 4-colour plus white ink configuration creates even more possibilities for printing on transparent material for backlit applications or for printing white as a spot colour. The 6-colour ink configuration offers a larger colour gamut, giving you the capability to print those hard-to-hit colours. The end result is a versatile printer that helps you increase your job applications — and grow your business.

BUILT FOR RELIABILITY AND PRODUCTIVITY

The AccurioWide printers are engineered for sustained higher workloads with the latest generation of Konica Minolta printheads. UV LED curing offers fast throughput while achieving excellent print quality. You'll be able to maintain high print production with all media types and deliver on time to your most demanding customers. The "borderless" printing feature further enhances your productivity.

EXPANDS YOUR RANGE OF JOB APPLICATIONS

The AccurioWide series adds versatility to your business, offering a wide range of print job applications that will improve your profit. It produces top-quality prints on uncoated rigid media, such as corrugated boards, rigid plastics, exhibition panels, stage graphics and advertising panels; as well as on flexible roll media including film, vinyl and paper, banners, canvas and coated textile. It can even be used to print on niche products such as wood, personalized objects or creative architectural and interior décor.

USES UV INKS ON A WIDE RANGE OF SUBSTRATES

By using UV inks and the low heat generated by the LED array, the AccurioWide series enables you to print on a wider range of materials. You'll be able to print on thin heat-sensitive styrene, foils and laminates, coated paper, PET, fluted polypropylene, soft boards and industrial film. Layered printing with colour and white ink will give your backlit signage a high-quality look with vibrant colours. AccurioWide Inks has achieved GREENGUARD GOLD Certification.



AccurioWide 250

EXCEPTIONAL PRINT QUALITY AT ANY SIZE

The AccurioWide series was designed to provide sign shops, screen printers, photo labs, commercial printers and franchise printers the quality and power they need for wide format applications. The reinforced belt drive and shuttle beam brings highly accurate dot positioning with superior image quality, boosted by the gradient and multilayer functionality.

With four to six 12 picoliter colour printheads, the AccurioWide series guarantees strong lines, fine text reproduction up to 4 point, exceptional tonal rendering and low ink consumption. The two 30 picoliter white printheads allow you to print white in multiple modes and layers.



INNOVATIVE UV LED PRINT TECHNOLOGY

The AccurioWide printers are equipped with powerful, air-cooled 16 W/cm² UV LED lamps for the curing process. Not only will you and your customers benefit, but the environment will too:

- LEDs are cool to the touch and have minimal heat output, allowing for a broader scope of print applications. Print on heat-sensitive substrates such as thin film, self-adhesive sheets or stretch PVC materials. Limited heat generation produces a very stable bi-directional calibration
- LED lamps are switched on/off instantly, without any degradation of intensity. That means no lamp warm-up time or delay for shutter motion. The result is faster operations with higher productivity
- LEDs last for at least 10,000 hours each — possibly as long as five years. They generate a consistent output through that period with no lamp change downtime or consumable lamp costs
- LEDs have a maximum energy consumption of 1 kWh per module, lending to significant power savings
- UV LED lamps don't contain mercury — so there's no need for special mercury disposal or hazmat related costs. Also, LEDs don't produce ozone gas that needs to be ventilated




AT A GLANCE

AccurioWide Hybrid UV LED Wide Format Inkjet Printers

- Capable of printing on rigid and flexible roll material
- Prints up to a maximum width of 2.0 m for the AccurioWide 200; 1.6 m for the AccurioWide 160
- UV LED lamps save time, reduce costs and are environmentally sustainable
- Superior print quality for all speed modes
- Prints on a wide range of substrates
- Media thicknesses up to 1.77"
- Features Konica Minolta 1024i printheads

BUILT TO PERFORM FOR YOUR CUSTOMERS. AND YOUR BOTTOM LINE

The AccurioWide series combines state-of-the-art image quality, UV LED technology and high-productivity flexibility. Take a look at how it works:



1. REINFORCED BEAM

Ensures that the shuttle moves flawlessly, providing accurate droplet placements.

2. SHUTTLE SAFETY SENSORS

Prevents recessed printheads from touching the substrate and getting damaged.

3. MEDIA HANDLING

Loading media is a smooth and accurate process thanks to automated features of the media registration bar and the head height adjustment. The automatically controlled vacuum system consists of multiple independent zones, delivering an equal vacuum suction to ensure flawless media transport, producing accurate print results time and time again.

4. IONIZATION BARS

Ionization bars are mounted on the carriage, removing electrostatic charges on the substrate material. This ensures optimum and accurate ink droplet placement.

5. LED LAMPS

Air-cooled UV LED lamps provide a huge savings on energy consumption. Due to the minimal energy output, they're ideal for thermal sensitive materials such as thin film, self-adhesive sheets and stretched PVC materials.

6. INK MONITORING

The automatic ink refill system monitors UV ink levels. The ink refilling system can be easily accessed, enabling a spotless refill of your ink reservoirs. The white ink is managed by a fully separate system. The tank is equipped with a stirring mechanism to keep the ink properly mixed at all times.

7. OPERATOR INTERFACE

The graphic user interface (GUI) is located on a convenient swivel-arm with a mounted touchscreen. Printed files are spooled, viewed and stored by an internal bitmap server with a hard drive capacity of 1 TB for rasterized images that ensures fast spooling and secure transfer of large amounts of data.

8. INFLATABLE AIRSHAFT

In the roll-to-roll mode, inflatable airshafts on both the unwinding and winding side, as well as the media tension roller on the rewinding side, assure perfect tension of the materials for wrinkle-free printing. Standard on the AccurioWide 250 and AccurioWide 200; an option for the AccurioWide 160.

9. LARGE MEDIA TABLES (NOT SHOWN)

The AccurioWide 250 and AccurioWide 200 comes standard with an additional set of large media tables to allow printing on large rigid materials up to a length of 10.5' (3.2 m). Large media tables are an option on the AccurioWide 160.



SUPERIOR QUALITY PRINTS START WITH KONICA MINOLTA UV-CURABLE INKS

The AccurioWide series uses high performance UV inks recognized for the lowest ink consumption per square meter on the market. Its “Pigment Shield Technology” is a patented pigment dispersion technology specifically designed for UV inks. It guarantees high colour density and ink stability that contributes to a long ink shelf life, when stored under normal conditions.

RICHER, BOLDER, BROADER: OUR UV INKS ARE FIRST-IN-CLASS


- Instantly dry due to the UV LED lights and can be handled immediately
- Superior adhesion
- Abrasion and chemical resistant
- Outstanding consistency and reliability
- No need for evaporation or special layers on media
- No VOC emissions

ADVANCED WHITE PRINTING

The AccurioWide series fully supports white layered printing in pre-white, post-white and sandwiched white modes. The constant stirring and circulation flow along the entire ink line to the temperature controlled printheads limits the risk of ink resettling and lines becoming blocked or clogged.

KONICA MINOLTA PRINTHEADS

Equipped with the KM1024i series printhead, a high-speed 1,024-nozzle inkjet printhead, the AccurioWide series provides greater richness of gradients and high-definition image quality. Our technology enables simultaneous emission from all 1,024 nozzles with a high-density structure featuring four lines of 256 nozzles aligned with high precision enhancing position accuracy.



INNOVATION THAT PUTS OUR PLANET FIRST

Protecting the planet has always been a top priority at Konica Minolta. Our environmental initiatives will help you realize yours. Through EcoVision 2050, we’ve committed to a mid-century goal of reducing CO₂ emissions by 88% over 2005 levels, minimizing greenhouse gases that may contribute to global warming.

The AccurioWide series uses UV ink, which has no VOCs and has achieved GREENGUARD GOLD certification. As Hybrid printers, they can print on both rigid and flexible materials. Its UV LED lamps use very low heat, and are only on when in use, greatly reducing power consumption. Our KM1024i inkjet printhead reduces the amount of petroleum-derived resources used by approximately one-third from previous versions.



Asanti v5

THE HIGH-PERFORMANCE WORKFLOW SOLUTION THAT MEETS ALL YOUR NEEDS

This powerfully advanced, fully automated and scalable workflow solution controls the entire printing process, from prepress to production to finishing. You'll benefit from better print quality, faster turnaround time and less waste — and of course, satisfied customers.

IMPROVES PRODUCTIVITY AND REDUCES COSTS

An intuitive GUI integrated with the latest version of Adobe PDF Print Engine (APPE) manages PDF master files while eliminating the need for manual intervention. Device dependent JDF control processes give greater control of the workflow and optimize print quality. Specific application functionalities include nesting, tiling, media handling, parameter presets, smart DQS, automated intake, see-through concept, proofing support and automated preflighting. With XML Connect, you can integrate to existing storefronts, further automating job submission.

INTUITIVE USER INTERFACE

The easy-to-use interface features improved job layout and positioning visualizations. The dashboard shows the print process and printing time estimates, print jobs, the number of prints, machine status for multiple printers, ink levels, elapsed print time and more. It even instructs the operator on the mounting sequence directly from each print job.

PREFLIGHTING

Powerful preflighting saves you time and money by reducing idle time on your printers, standardizing processes and avoiding errors. Auto checking PDF files and job validation identifies issues early in the process, ensuring all print data is handled correctly.

ACCURATE AND CONSISTENT PRINTS

The Asanti v5 can access different media types stored in a database and quickly apply them to your job. Rendering, image and colour quality are fully automated. It checks files prior to printing, ensuring layers and transparencies are handled correctly while flagging any potential issues that need correcting. The software will generate colour settings and control them automatically.

MANAGES COLOUR

Take the guesswork out of managing colour — and get reliable, predictable results and colour fidelity performance. The AccurioPro WideDirector features full compatibility with pre-determined ICC profiles, the ability to generate customer profiles and convenient proofing support.

INTELLITUNE

IntelliTune automatically analyzes and improves image quality. It eliminates noise, bitmapping and blurriness — and also optimizes skin tones.



IMAGE NESTING SCREEN

FULLY CAPABLE OF PRINTING **ALMOST ANYTHING**

The AccurioWide series is built for impact. The inkjet-based technology delivers high-impression content on almost any substrate, with media thickness up to 1.77". Plus it's a workhorse, able to sustain the heaviest workloads to keep your business growing and profitable.



SIGNAGE

The phenomenal quality you demand, at the size you need for both indoor and outdoor signage. Eye-popping colour for your backlit signs, billboards and banners. Seamless print support helps with billboards and other large graphics.



VEHICLE GRAPHICS

Offer clients the ability to personalize one vehicle or a fleet with head-turning custom vehicle graphics that are easy to apply.



ART, PHOTOGRAPHS AND MURALS

Exceptional image quality makes the AccurioWide ideal for reproducing photography and art graphics, including printing on textured canvas or glass. It also can be excellent for trade show and stage set design.



BANNERS

AccurioWide ensures your vinyl or textile banners have plenty of wow factor. Banner printing is easy and quick.



WINDOW CLINGS AND FLOOR GRAPHICS

The AccurioWide is ideal for printing on flexible materials, such as thin film, self-adhesive sheets and stretched PVC materials. The air-cooled UV LED lamps have minimal heat output and also provide energy savings.



YARD SIGNS AND CORRUGATED SUBSTRATES

For more durable applications, the AccurioWide's versatility goes beyond normal printing, handling applications that require strength. Thickness can vary from .04" to 1.77".



INDUSTRIAL LABELS

Combining exceptional quality and durability, the AccurioWide is built to print safety and regulatory-compliant signs and labels, including hazard communication, pipe marking, equipment panels, facility and safety ID and more. Tough enough to use on electrical transformers, outdoor equipment, construction sites, bridges and road construction.



OBJECT PRINTING

Printing has gone way beyond paper. The AccurioWide has as well, allowing you to print directly on a wide range of substrates — print wood, metal, glass and PVC to create unique graphic treatments. Substrate thickness can vary from .04" to 1.77".

AccurioWide

HYBRID UV LED WIDE FORMAT INKJET PRINTERS

PRINTING SPECIFICATIONS – RIGID MEDIA

	ACCURIOWIDE 160	ACCURIOWIDE 200	ACCURIOWIDE 250
Max. width	5.4' (165 cm) 5.2' (160 cm) w/borderless printing	6.7' (205 cm) 6.6' (200 cm) w/borderless printing	8.2' (250 cm) 8.1' (247 cm) w/borderless printing
Max. length	10.5' (3.2 m) – 2 small & 2 large rigid tables (2 rear and 2 front)	10.5' (3.2 m) – 2 small & 2 large rigid tables (2 rear and 2 front)	10.5' (3.2 m) – 2 small & 2 large rigid tables (2 rear and 2 front)
Thickness	Min.: 0.04" (1 mm) Max.: 1.77" (45 mm)	Min.: 0.04" (1 mm) Max.: 1.77" (45 mm)	Min.: 0.04" (1 mm) Max.: 1.77" (45 mm)

PRINTING SPECIFICATIONS – FLEXIBLE MEDIA

Max. width	5.4' (165 cm)	6.7' (205 cm)	8.2' (250 cm)
Min. thickness	0.2 mm	0.2 mm	0.2 mm

PRINT SPEED

Draft mode	Up to 678 ft ² /hr (63 m ² /hr)	Up to 1,119 ft ² /hr (104m ² /hr)	Up to 1,238 ft ² /hr (115 m ² /hr)
Express mode	474–581 ft ² /hr (44–54 m ² /hr)	689–764 ft ² /hr (64–71 m ² /hr)	753–840 ft ² /hr (70–78 m ² /hr)
Production mode	Up to 301 ft ² /hr (28 m ² /hr)	344–560 ft ² /hr (32–52 m ² /hr)	377–614 ft ² /hr (35–57 m ² /hr)
Standard mode	140–183 ft ² /hr (13–17 m ² /hr)	204–301 ft ² /hr (19–28 m ² /hr)	226–334 ft ² /hr (21–31 m ² /hr)
High-quality mode	Up to 75 ft ² /hr (7 m ² /hr)	86–161 ft ² /hr (8–15 m ² /hr)	172–183 ft ² /hr (116–17 m ² /hr)

PRINTHEADS AND INK

Printheads	KM1024i printheads	KM1024i printheads	KM1024i printheads
UV ink channels	CMYK + 2 white or CMYKLCm	CMYKLCm + 2 White	CMYKLCm + 2 White

*ACCURIOWIDE INK has achieved GREENGUARD GOLD certification.

GRRENGUARD Certified products are certified to UL standards for low chemical emissions into indoor air during product usage. For more information, visit: ul.com/gg.

IMAGE AND TEXT QUALITY

High quality	Up to 720 x 1,440 dpi	Up to 720 x 1,440 dpi	Up to 720 x 1,440 dpi
Text quality	Positive: 4 points Negative: 6 points	Positive: 4 points Negative: 6 points	Positive: 4 points Negative: 6 points

ENGINE DIMENSIONS AND WEIGHT

Main unit dimensions (H x W x D)	65.3" x 153.9" x 57.8" (166 x 391 x 147 cm)	70" x 177" x 63" (177 x 450 x 160 cm)	70" x 197" x 63" (177 x 500 x 160 cm)
Main unit weight	2,249 lb (1,020 kg)	3,968 lb (1,800 kg)	4,850 lb (2,200 kg)

¹Without swivel arm.

SYSTEM INTEGRATION RIP / WORKFLOW SOFTWARE

Integrated production solution with Asanti v5 / 3rd party RIP integration is possible

EXTENSION TABLES

Large extension tables (H x W x D)	Optional:	Included:	Included:
	2 tables per set Folded: 41.7" x 66.3" x 31.5" (106.7 x 168.5 x 79.9 cm) Unfolded: 41.7" x 66.3" x 71.6" (106.7 x 168.5 x 181.9 cm) Weight: 176 lb (80 kg) each table	2 tables per set Folded: 42.1" x 85.8" x 39" (107 x 218 x 99 cm) Unfolded: 42.1" x 85.8" x 72.8" (107 x 218 x 185 cm) Weight: 132 lb (60 kg) each table	2 tables per set Folded: 42.1" x 108" x 39" (106.93 x 274.32 x 99.06 cm) Unfolded: 42.1" x 108" x 72.8" (106.93 x 274.32 x 184.91 cm) Weight: 132 lb (60 kg) each table

Asanti v5

Asanti Hardware Server	Intel Core i9 10850 3.60 GHz/5.20 GHz Turbo Boost 10 cores / 20 threads 32 GB DDR4 2666GHz memory, 2 TB Disk Drive, 480 GB SATA Disk Drive for OS	Intel Core i9 10850 3.60 GHz/5.20 GHz Turbo Boost 10 cores / 20 threads 32 GB DDR4 2666GHz memory, 2 TB Disk Drive, 480 GB SATA Disk Drive for OS	Intel Core i9 10850 3.60 GHz/5.20 GHz Turbo Boost 10 cores / 20 threads 32 GB DDR4 2666GHz memory, 2 TB Disk Drive, 480 GB SATA Disk Drive for OS
-------------------------------	--	--	--

For more details, see AccurioWide 160/200/250 Data Sheets

For complete information on Konica Minolta products and solutions, please visit: konicaminolta.ca

© 2023 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.

© Copyright 2020 by Agfa NV, 2640 Mortsel, Belgium. All rights reserved. AGFA and the Agfa rhombus are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates. Asanti and PrintSphere are trademarks of Agfa NV, Belgium or its affiliates. All other brand and product names may be service marks or trademarks of their respective owners. All information contained in this document is intended for guidance purposes only, and specifications are dependent on media.

PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT

Intelligent Information Management (IIM)
Content Management
Automated Workflow Solutions
Business Process Automation
Security and Compliance
Mobility

IT SERVICES

Application Services
IT Security Assessments
Hybrid and Private Cloud
Business Continuity
24/7 Help Desk
IT Resources and Consulting

TECHNOLOGY

Office Multifunction Business Solutions
Commercial and Production Printers
Wide Format Printers
Laptops, Desktops and Computer Hardware
Servers and Networking Equipment
Managed Print Services (MPS)
Managed Enterprise Services



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD.
5875 Explorer Drive, Suite 100, Mississauga, Ontario, L4W 0E1

konicaminolta.ca



Item #: AWIDEBROCA
5/2023-Z